

<p>1-18 18 1620 .</p> <p>24 , 220 , AC, 12-24 , DC. IP 67.</p>					
	-				
1-18- -12, IP67	18	20, 60 (N, F L)		3735-00	4150-00
1-18-X-220, IP67					

<p>1-24 24 2160 .</p> <p>30 , 220 , AC, 12-24 , DC. IP 67.</p>					
	-				
1-24- -12, IP67	24	60 140 (N, F		4410-00	4900-00
1-24-X-220, IP67					

<p>1-30 30 2700 . 40</p> <p>DMX</p> <p>220 , AC, 12-24 , DC. IP 67.</p>					
	-				
1-30-RGB-DMX-12, IP67	30	20, 60 (N, F L)		6228-00	6920-00
1-30-RGB-DMX-220, IP67					
1-30- -12, IP67				5220-00	5800-00
1-30-X-220, IP67					

<p>-54 54 .</p> <p>(/).</p> <p>(/). 5 , 12 , DC. IP 68.</p>					
	-				
D90/D54- -12 IP68	54	42 100 (F L)		3785-00	4205-00
D90/D54- -12-AL IP68					
D90/D54- -12- IP68				4617-00	5130-00

D90/P3 3 (/). 5 , 12 , DC. IP 68.					
	-				
D90/P3-XX-12 IP68	3	20, 60 (N, F L)		3913-20	4348-00
D90/P3-XX-12-AL IP68		20, 60 (N, F L)		3272-00	3635-00
D90/P3-XX- IP68		20, 60 (N, F L)		4745-70	5273-00

D130/P12 12 68. 5 , 12 , DC. IP					
	-				
D130/P12, IP68	12	20, 60 (N, F L)		4673-00	5192-00

« » « ». — 30 . 175 240 AC. — 595 595 60 . 37 .					
	-				
" " -30W-220,	30	2800		5018-00	5575-00
-30WW-220,	30		-	5445-00	6050-00

« » — 30 . 175 240 AC. 37 . — 593 593 69 .					
	-				
" " -30W-220,	30	2800		5918-00	6575-00
-30WW-220,	30		-	6345-00	7050-00

« » — 36 . 175 240 AC. — 1193 293 69 . 47 .					
	-				
" " -36W-1200 300-220,	36	3000	-	6361-00	7068-00
" " -36WW-1200 300-220,			-	6768-00	7520-00

« » — 36 . 175 240 AC. — 1200 200 70 . 47 .					
--	--	--	--	--	--

	-	'			
"Люксембург" ППСС-36W-1200x200-220, подвесной светодиодный	36	до 3000 лм	холодно-белый	6361-00	7068-00
"Люксембург" ППСС-36WW-1200x200-220, подвесной светодиодный светильник			тепло-белый	6768-00	7520-00

60 SMD 291 141 72 : 220 17 IP40. 3 > 0,96. 140 100					
	-	'			
Энтрада-60W(WW)-220	60	до 950 лм	белый (6000 К), тепло-белый (3000 К)	3060-00	3400-00
Энтрада-60W(WW)-220-PIR		до 950 лм (140 лм в дежурном		3420-00	3800-00
Энтрада-60W(WW)-220/S		до 650 лм		2655-00	2950-00

ALZ

ALZ : 15 900 230 : 220 , 24 : 22 9					
	-	'			
ALZ-15P-900LM-220/24,	15	900		3132-00	3480-00
ALZ-15P-900LM-220/24-PIR/s,				3510-00	3900-00

(IP54)					
	-	'			
-72P -IP54,	72	7200 , 80 , 726 185 76		12266-10	13629-00
-36P -IP54,	36	3600 , 45 , 366 185 76		6637-50	7375-00
-20P -IP54,	20	2000 , 25 , 206 185 76		4460-40	4956-00
-12P -IP54,	12	1200 , 15 , 126 185 76		3060-00	3400-00